

Larynx Cancers

Index

Title	Page
Incidence of larynx cancers in males (2007-2021)	2
Incidence of larynx cancers in females (2007-2021)	4
Mortality from larynx cancers in males (2007-2021)	6
Mortality from larynx cancers in females (2007-2021)	8

Cancer of the larynx (ICD-O-3 C32)															
Maltese Islands: trends in incidence 2007-2021															
Number of new cases, with age standardised incidence rates, by age and year of cancer registration															
Males															
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Under 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
40-44	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0
45-49	0	2	0	0	1	1	0	1	0	0	2	2	2	0	2
50-54	1	0	0	3	0	2	0	1	2	1	0	4	0	0	0
55-59	3	3	4	2	2	4	1	3	3	5	5	3	2	3	0
60-64	1	1	3	6	3	2	3	4	1	6	5	3	1	2	3
65-69	1	3	3	3	5	3	3	4	2	4	2	4	11	4	3
70-74	3	4	3	0	6	2	3	4	4	1	3	1	3	3	3
75-79	1	1	2	4	3	3	2	2	2	2	0	2	5	1	0
80-84	1	5	2	0	1	0	0	3	0	2	2	0	4	0	1
85+	1	1	0	0	1	0	1	0	0	1	2	1	0	0	0
All Ages	13	21	17	19	23	17	13	23	14	22	22	20	28	13	12
Rates per 100,000															
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	6.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40-44	7.46	7.72	0.00	0.00	7.82	0.00	0.00	0.00	0.00	0.00	5.97	0.00	0.00	0.00	0.00
45-49	0.00	13.28	0.00	0.00	7.22	7.52	0.00	7.83	0.00	0.00	13.84	13.10	12.18	0.00	10.94
50-54	6.75	0.00	0.00	19.77	0.00	13.20	0.00	6.77	96.95	6.91	0.00	28.01	0.00	0.00	0.00
55-59	19.81	20.28	27.82	14.08	13.74	26.99	6.64	19.71	117.69	31.99	31.90	19.10	12.67	19.18	0.00
60-64	7.90	7.14	20.65	40.64	19.82	13.42	20.59	27.88	35.07	41.22	33.53	19.67	6.45	12.77	19.11
65-69	12.60	38.56	36.21	31.99	45.73	24.09	21.79	27.87	55.15	27.23	13.76	28.05	78.15	28.58	21.27
70-74	43.99	56.42	40.78	0.00	80.40	27.87	41.84	50.99	134.00	9.69	25.51	7.70	22.22	22.01	22.02
75-79	21.95	21.16	41.01	78.45	55.19	52.08	33.16	31.73	61.84	30.91	0.00	31.44	70.94	12.42	0.00
80-84	34.22	167.45	66.47	0.00	31.66	0.00	0.00	83.41	0.00	91.98	44.68	0.00	80.65	0.00	20.08
85+	58.21	55.62	0.00	0.00	45.96	0.00	43.20	0.00	0.00	37.77	71.56	33.75	0.00	0.00	0.00

Crude rate	6.39	10.24	8.66	9.18	11.10	8.14	6.16	10.77	6.48	9.61	9.32	8.12	10.82	4.88	4.47
- lower 95% CI	3.55	6.51	5.21	5.69	7.20	4.90	3.42	6.99	3.69	6.17	5.42	4.56	6.81	2.23	1.94
- upper 95% CI	11.25	15.95	14.18	14.63	16.94	13.33	10.83	16.44	11.16	14.81	13.21	11.68	14.83	7.53	7.00
EASR *	5.77	8.93	6.86	7.55	8.99	6.58	4.65	8.16	5.01	7.76	7.46	7.33	7.95	3.84	4.69
- lower 95% CI	5.45	8.55	6.53	7.21	8.62	6.27	4.39	7.82	4.74	7.43	7.14	7.00	7.65	3.63	4.42
- upper 95% CI	6.08	9.32	7.19	7.89	9.36	6.9	4.91	8.50	5.27	8.09	7.77	7.66	8.25	4.05	4.95
WASR **	3.92	5.97	4.58	5.29	6.16	4.53	3.13	5.68	3.37	5.24	5.31	5.22	5.40	2.70	2.60
- lower 95% CI	3.70	5.70	4.36	5.05	5.91	4.31	2.95	5.44	3.19	5.02	5.08	4.98	5.18	2.55	2.45
- upper 95% CI	4.14	6.24	4.81	5.54	6.42	8.64	3.30	5.93	3.56	5.47	5.54	5.45	5.61	2.85	2.75
* EASR = Age-standardised rates using European Standard Population/ 100,000 population															
** WASR = Age-standardised rates using World Standard Population/ 100,000 population															
Source: Malta National Cancer Registry, Department of Health Information, Malta															
Data extracted August 2024															

Cancer of the larynx (ICD-O-3 C32)															
Maltese Islands: trends in incidence 2007-2021															
Number of new cases, with age standardised incidence rates, by age and year of cancer registration															
Females															
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Under 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35-39	0	2	0	0	1	1	0	0	1	0	0	0	0	0	0
40-44	0	1	2	1	1	0	1	1	0	0	0	0	0	0	0
45-49	2	2	1	1	3	2	0	2	2	2	0	0	0	0	0
50-54	3	2	1	9	2	5	5	3	5	5	0	0	0	0	0
55-59	3	2	7	3	9	7	6	5	7	8	0	0	0	0	0
60-64	5	4	5	5	7	10	4	4	6	9	1	0	1	0	0
65-69	2	3	4	8	5	9	5	13	7	15	0	0	0	0	0
70-74	6	5	3	7	7	10	5	9	17	7	0	0	0	1	0
75-79	3	2	6	7	8	10	5	7	5	7	0	0	1	1	0
80-84	1	2	4	5	7	7	7	5	4	3	0	0	1	0	3
85+	0	3	2	3	2	5	4	2	0	4	0	1	1	0	0
All Ages	25	28	35	50	52	66	42	51	54	60	1	1	4	2	3
<i>Rates per 100,000</i>															
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	6.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	15.86	0.00	0.00	7.23	7.07	0.00	0.00	6.68	0.00	0.00	0.00	0.00	0.00	0.00
40-44	0.00	7.99	16.31	8.25	8.10	0.00	7.83	7.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	13.29	13.53	6.98	7.23	22.17	15.31	0.00	16.03	16.21	15.39	0.00	0.00	0.00	0.00	0.00
50-54	20.58	13.53	6.70	59.66	13.04	32.92	33.46	20.57	35.33	35.61	0.00	0.00	0.00	0.00	0.00
55-59	19.76	13.49	48.21	20.78	61.99	47.68	40.25	33.04	45.71	51.13	0.00	0.00	0.00	0.00	0.00
60-64	37.45	27.20	32.96	32.69	45.18	65.78	26.99	27.47	41.68	61.77	6.75	0.00	6.51	0.00	0.00
65-69	22.09	33.84	42.71	76.67	42.34	67.21	33.94	85.29	45.70	97.68	0.00	0.00	0.00	0.00	0.00
70-74	68.87	56.52	33.42	76.98	78.75	117.36	59.27	99.05	167.88	64.26	0.00	0.00	0.00	6.75	0.00
75-79	44.10	28.22	81.82	93.20	104.26	127.71	62.79	86.05	60.61	85.51	0.00	0.00	11.74	10.55	0.00
80-84	21.36	41.55	82.37	100.46	134.02	128.42	122.46	83.89	65.26	47.39	0.00	0.00	14.49	0.00	43.37
85+	0.00	85.59	53.68	74.89	46.97	112.82	86.45	41.55	0.00	74.55	0.00	16.70	15.96	0.00	0.00

Crude rate	12.15	13.53	16.86	23.92	24.82	31.32	19.79	23.91	25.03	26.51	0.43	0.42	1.63	0.80	1.20
- lower 95% CI	8.04	9.16	8.12	17.94	18.73	24.42	14.44	17.99	18.98	20.40	-0.417	-0.40	0.03	-0.31	-0.16
- upper 95% CI	18.23	19.84	36.06	31.80	32.82	40.11	27.02	31.70	32.91	34.37	128	1.24	3.23	1.92	2.56
EASR *	9.47	10.62	12.35	17.60	17.47	21.20	13.14	15.81	17.63	18.49	0.34	0.17	0.86	0.41	0.43
- lower 95% CI	9.1	10.21	11.92	17.09	16.97	20.67	12.72	15.35	17.14	18.00	0.27	0.13	0.046	0.36	0.38
- upper 95% CI	9.85	11.02	12.77	18.10	17.96	21.73	13.55	16.26	18.12	18.98	0.40	0.20	0.95	0.47	0.48
WASR **	6.7	7.61	8.43	12.23	11.98	14.37	8.71	10.90	12.30	12.90	0.27	0.08	0.53	0.24	0.22
- lower 95% CI	6.43	7.31	8.12	11.86	11.63	14.00	8.42	10.57	11.94	12.55	0.22	0.07	0.47	0.207	0.192
- upper 95% CI	6.98	7.91	8.73	12.60	12.34	14.75	9.00	11.22	12.65	13.25	0.32	0.10	0.59	0.27	0.24
* EASR = Age-standardised rates using European Standard Population/ 100,000 population															
** WASR = Age-standardised rates using World Standard Population/ 100,000 population															
Source: Malta National Cancer Registry, Department of Health Information, Malta															
Data extracted August 2024															

Cancer of the larynx (ICD-10 C32)															
Residents of the Maltese Islands: trends in mortality 2007-2021															
Number of deaths attributed to laryngeal cancer, with age standardised mortality rates, by age and year of death															
Males															
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Under 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45-49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
50-54	1	0	0	0	0	0	0	0	0	1	0	1	1	0	1
55-59	0	1	0	1	1	1	1	0	0	1	1	0	2	0	0
60-64	0	0	0	2	3	2	0	0	2	0	0	1	1	2	0
65-69	0	2	1	0	0	1	1	1	0	0	0	1	2	3	1
70-74	3	0	1	0	0	1	3	2	1	2	1	2	1	0	0
75-79	3	0	0	0	1	1	1	1	2	1	1	0	0	2	1
80-84	2	0	1	1	3	0	0	1	0	0	1	0	1	1	2
85+	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0
All Ages	9	3	3	4	8	7	6	5	5	7	4	6	8	9	6
<i>Rates per 100,000</i>															
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.41
50-54	6.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.91	0.00	7.00	6.85	0.00	6.50
55-59	0.00	6.76	0.00	7.04	6.87	6.75	6.64	0.00	0.00	6.40	6.38	0.00	12.67	0.00	0.00
60-64	0.00	0.00	0.00	13.55	19.82	13.42	0.00	0.00	14.0	0.00	0.00	6.56	6.45	12.77	0.00
65-69	0.00	25.71	12.07	0.00	0.00	8.03	7.26	6.97	0.00	0.00	0.00	7.01	14.21	21.44	7.00
70-74	43.99	0.00	13.59	0.00	0.00	13.94	41.8	25.4	11.1	19.3	8.50	15.41	7.41	0.00	0.00
75-79	65.86	0.00	0.00	0.00	18.40	17.36	16.5	15.8	30.9	15.4	15.86	0.00	0.00	24.85	11.04
80-84	68.45	0.00	33.23	32.78	95.30	0.00	0.00	27.7	0.00	0.00	22.34	0.00	20.16	19.78	40.96
85+	0.00	0.00	0.00	0.00	0.00	44.64	0.00	0.00	0.00	75.3	0.00	33.75	0.00	29.46	0.00

Crude rate	4.43	1.46	1.46	1.93	3.86	3.35	2.84	2.34	2.31	3.06	1.69	2.44	3.09	3.38	2.23
- lower 95% CI	2.16	0.38	0.38	0.62	1.80	1.47	1.15	0.86	0.85	1.34	0.54	0.99	1.44	1.65	0.91
- upper 95% CI	8.73	4.66	4.65	5.32	7.94	7.24	6.52	5.81	5.74	6.60	4.66	5.59	6.36	6.67	5.12
EASR *	3.79	1.43	1.22	1.43	2.72	2.61	2.28	1.64	1.65	2.51	1.18	1.90	2.55	2.49	1.74
- lower 95% CI	3.54	1.27	1.08	1.29	2.53	2.41	2.09	1.49	1.51	2.32	1.06	1.74	2.37	2.32	1.60
- upper 95% CI	4.04	1.6	1.36	1.57	2.91	2.80	2.46	1.78	1.80	2.70	1.30	2.06	2.74	2.65	1.89
WASR **	2.22	1.04	0.8	0.99	1.73	1.72	1.49	1.02	1.09	1.52	0.70	1.30	1.78	1.65	1.17
- lower 95% CI	2.07	0.92	0.71	0.89	1.61	1.59	1.37	0.92	0.99	1.40	0.62	1.19	1.65	1.54	1.07
- upper 95% CI	2.37	1.16	0.89	1.09	1.85	1.85	1.61	1.11	1.19	1.64	0.77	1.41	1.91	1.76	1.28
* EASR = Age-standardised rates using European Standard Population/ 100,000															
** WASR = Age-standardised rates using World Standard Population/ 100,000 population															
Source: National Mortality Registry, Department of Health Information, Malta															
Data extracted October 2024															

Cancer of the larynx (ICD-10 C32)															
Residents of the Maltese Islands: trends in mortality 2007-2021															
Number of deaths attributed to laryngeal cancer, with age standardised mortality rates, by age and year of death															
Females															
	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Under 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45-49	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
50-54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55-59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60-64	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
65-69	0	1	1	0	0	0	0	0	1	0	0	0	0	0	0
70-74	0	0	1	1	0	1	0	0	0	1	0	1	0	1	0
75-79	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
80-84	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
85+	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
All Ages	0	2	2	1	0	2	0	0	2	2	2	2	0	1	0
<i>Rates per 100,000</i>															
Under 5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10-14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15-19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20-24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25-29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
35-39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
40-44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
45-49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.15	0.00	0.00	0.00
50-54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
55-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.95	0.00	0.00	0.00	0.00	0.00	0.00
65-69	0.00	11.28	10.68	0.00	0.00	0.00	0.00	0.00	6.53	0.00	0.00	0.00	0.00	0.00	0.00
70-74	0.00	0.00	11.14	11.00	0.00	11.74	0.00	0.00	0.00	8.74	0.00	7.01	0.00	6.75	0.00
75-79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.21	0.00	0.00	0.00	0.00	0.00
80-84	0.00	20.77	0.00	0.00	0.00	18.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.14	0.00	0.00	0.00	0.00

Crude rate	0.00	0.97	0.96	0.48	0.00	0.95	0.00	0.00	0.93	0.88	0.86	0.84	0.00	0.40	0.00
- lower 95% CI	0.00	0.17	0.17	0.02	0.00	0.16	0.00	0.00	0.16	0.15	0.15	0.15	0.00	0.02	0.00
- upper 95% CI	0.00	3.9	3.38	3.11	0.00	3.83	0.00	0.00	3.74	3.56	3.48	3.38	0.00	2.61	0.00
EASR *	0.00	0.66	0.76	0.33	0.00	0.54	0.00	0.00	0.61	0.51	0.35	0.71	0.00	0.2	0.00
- lower 95% CI	0.00	0.56	0.65	0.026	0.00	0.46	0.00	0.00	0.52	0.44	0.30	0.60	0.00	0.16	0.00
- upper 95% CI	0.00	0.76	0.87	0.39	0.00	0.61	0.00	0.00	0.69	0.58	0.40	0.82	0.00	0.24	0.00
WASR **	0.00	0.44	0.54	0.22	0.00	0.33	0.00	0.00	47.00	0.30	0.18	0.57	0.00	0.14	0.00
- lower 95% CI	0.00	0.37	0.47	0.18	0.00	0.28	0.00	0.00	0.41	0.26	0.15	0.48	0.00	0.11	0.00
- upper 95% CI	0.00	0.51	0.62	0.26	0.00	0.38	0.00	0.00	0.54	0.34	0.20	0.66	0.00	0.16	0.00
* EASR = Age-standardised rates using European Standard Population/ 100,000 population															
** WASR = Age-standardised rates using World Standard Population/ 100,000 population															
Source: National Mortality Registry, Department of Health Information, Malta															
Data extracted October 2024															